

CE TYPE APPROVAL CERTIFICATE

n. **734175001/OE**

2017/12/14

This Certificate CANCELS & REPLACES the previous one nr. 734172802/OE – 2017/07/13

This is to certify, that the hereunder described items of Personal Protective Equipment have overcome positively the "CE type examination", proving their conformity to the safety and health requirements of the Directive 89/686/EEC.

Manufacturer: (Responsible of the PPE)	SRL UROPAM SAT OBILENI-RL.HINCESTI-REP.MOLDOVA-MD3440	
Type of PPE:	Safety footwear in conformity with EN ISO 20345:2011 class I (= footwear in leather and other materials, excluding all-rubber or all-polymeric footwear)	
Category of PPE:	II: Personal Protective Equipment against "medium" risks. This certificate is based on reference standards listed below: its validity is no longer ensured should new version of the standards come into force.	
Model	"SP0275 BEDE"	
Description:	 <p><u>model:</u> B (ankle boot); <u>fastening system:</u> by means of laces; <u>processing:</u> direct injection; <u>outsole:</u> black rubber marked "ANTISTATIC OIL RESISTANT HRO ANTI SHOCK"; <u>midsole:</u> black foam PU; <u>outer toetip reinforcement:</u> made of the same material of the midsole; <u>upper:</u> black grain leather HIDRO grain MINA matched with beige canvas, with an insert made of grey retro-reflective material present in the heel area; <u>collar:</u> black coated PU fabric, matched with foam material; <u>tongue/bellows:</u> black coated PU fabric, centrally lined and padded; <u>vamp lining:</u> grey felt; <u>rear/quarter lining:</u> red three-dimensional fabric AIR MESH 940; <u>insole:</u> white multi-layered fabric " TESSILTOSCHI K18.0/3 SLIM ZERO PERFORATION SLIM", which also serves as penetration resistant insert; <u>removable insock:</u> thermo-shaped, made of black foamed PU matched with black fabric in direct contact with the foot, marked FIGHTER; <u>toecap:</u> composite material article 6040 SAFIT.</p>	
Technical Standard:	EN ISO 20344:2011 (UNI EN ISO 20344:2012) EN ISO 20345:2011 (UNI EN ISO 20345:2012)	Personal protective equipment – Test methods for footwear Personal protective equipment – Safety footwear
Intended use:	general industry, engineering industry, agriculture, warehouses, works on trucks, cranes.	
Size range:	From 39 to 47	
Technical File:	DC-8552	
Test report:	RCT n° 365002/E	

CE TYPE APPROVAL CERTIFICATE

n. **734175001/OE**

2017/12/14

Functions and performance levels:

basic requirements for safety footwear (see Table 2 and 3 of EN ISO 20345:2011): all mandatory ones, among which:

SRC = Slip resistance - meets the following requirement:

- surface: ceramic / lubricant: detergent solution;
- surface: steel / lubricant: glycerol.

Additional requirements (Tab. 18 and 20 of EN ISO 20345:2011):


S3 = closed seat region, antistatic properties, energy absorption of seat region, resistance to fuel oil, water penetration resistance and absorption (water-repellent upper), penetration resistance, cleated outsole; **HRO** = resistance to hot contact of the outsole; **HI** = heat insulation of sole complex.

NOTE: the penetration resistance of the synthetic stitch proof insole tends to decrease with the diameter of the perforating object; in return the synthetic insole offers more protective surface and ergonomics advantages (flexibility, insulation, humidity and impact absorption).

Marking:

on a stitched label and displaying the following information:

- **CE Marking;**
- Name of the Manufacturer;
- designation of the footwear (alphanumeric code + commercial name);
- number and year of the European Technical Harmonized Standard of reference;
- safety symbols;
- size of the footwear (printed on the outsole);
- date of production.



NOTE: the Technical File contains a more detailed description of the PPE (material, method of assembly, photographs or drawings), performance data, safety functions and level of protection, elements of conformity to the basic and supplementary requirements. The Technical File is integral part of the present Certification, which has to be kept available by the applicant to be forwarded - upon request - to the entitled person (supervising body, Controlling Officer).