

1embro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC





# **EU Type Examination Certificate**

Date: 2018/11/14 n. 734184605/OE

Validity: 2023/11/13

The hereunder described items of Personal Protective Equipment have overcome positively the "EU type examination" (Module B), proving their conformity to the safety and health requirements of the Regulation (EU) 2016/425 (Annex II)

Manufacturer: (Responsible of the PPE)	SRL UROPAM SAT OBILENI – RL.HINCESTI – REP.MOLDOVA – MD3440
Type of PPE:	Safety footwear in conformity with EN ISO 20345:2011 class I (= footwear in leather and other materials)
Category of PPE:	II: "medium" risks.  This certificate is based on reference standards listed below: its validity is no longer ensured should new version of the standards come into force.

Model "IN0004 FRAZIER" Line INFINITY

model: B (ankle boot); Description:

fastening system: by means of laces;

processing: direct injection;

outsole: black compact PU marked "ANTISTATIC OIL RESISTANT";

midsole: black PU foam;

outer toetip reinforcement: made of the same material of the midsole;

upper: black grain leather HIDRO MINA (art. CEROS) matched with beige canvas, with an insert made of grey retro-reflective material (art. LUXIER PENCIL LF WR LUMIERE) used

in the heel area;

collar: black PU coated fabric (art. PU Rugato Tyrus), matched with foam material; tongue/bellows: black PU coated fabric (art. PU Rugato Tyrus), centrally lined and padded;

vamp lining: grey felt (art. KOENIG/C EVO);

rear/quarter lining: black three-dimensional fabric AIR MESH (art. SPACE BIRD'S);

insole: beige non-woven fabric;

penetration resistant insert: made of steel INOX article 1604;

removable insock: thermo-shaped, made of black PU foam matched with black fabric

in direct contact with the foot, marked FIGHTER;

toecap: composite material article 604 SAFIT.

Technical Standard: EN ISO 20344:2011 Personal protective equipment – Test methods for footwear (UNI EN ISO 20344:2012) EN ISO 20345:2011 Personal protective equipment - Safety footwear (UNI EN ISO 20345:2012)

Intended use: general industry, engineering industry, agriculture, warehouses, works on trucks, cranes.

Size range: from 39 to 47

Technical File: DC-9120/E

RCT n°3741054/E Test report:



### DBD No 0330 E

Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC Mutual Recognition Agreements





# **EU Type Examination Certificate**

n. **734184605/OE** 

Validity: 2023/11/13

Functions and performance levels:

Date: 2018/11/14

basic requirements for safety footwear (see Table 2 and 3 of EN ISO 20345:2011): all mandatory ones, among which:

**SRC = Slip resistance** – meets the following requirement:

- <u>surface</u>: ceramic / <u>lubricant</u>: <u>detergent</u> solution;
- surface: steel / <u>lubricant</u>: glycerol.

Additional requirements (Tab. 18 and 20 of EN ISO 20345:2011):

S3 = closed seat region, antistatic properties, energy absorption of seat region, resistance to fuel oil, water penetration and absorption, penetration resistance, cleated outsole.

### Marking:

**SRL UROPAM** 

CE

\_\_\_/2018 IN0004 FRAZIER EN ISO 20345:2011 S3 SRC on a stitched label and displaying the following information:

- CE Markina:
- Name of the Manufacturer;
- designation of the footwear (alphanumeric code + commercial name);
- number and year of the Standard of reference + safety symbols;
- size of the footwear (printed on the outsole);
- month and year of production.







NOTE: the Technical File contains a more detailed description of the PPE (material, method of assembly, photographs or drawings), performance data, safety functions and level of protection, elements of conformity to the basic and supplementary requirements.

The Technical File is integral part of the present Certification, which has to be kept available by the applicant to be forwarded - upon request - to the entitled person (supervising body, Controlling Officer).

