

Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC Mutual Recognition Agreements





EU Type Examination Certificate

Date: 2018/09/28 n. 734183903/OE

Validity: 2023/09/27

The hereunder described items of Personal Protective Equipment have overcome positively the "EU type examination" (Module B), proving their conformity to the safety and health <mark>req</mark>uirements of the Regulation (EU) 2016/425 (Annex II)

Manufacturer: (Responsible of the PPE)	SRL UROPAM SAT OBILENI – RL.HINCESTI – REP.MOLDOVA – MD3440
Type of PPE:	Safety footwear in conformity with EN ISO 20345:2011 class I (= footwear in leather and other materials)
Category of PPE:	II: "medium" risks. This certificate is based on reference standards listed below: its validity is no longer ensured should new version of the standards come into force.

Model "IN 0111 IPOLIT"

Line Infinity

model: A (low footwear); Description:

fastening system: by means of laces;

processing: direct injection;

outsole: black compact PU marked "ANTISTATIC OIL RESISTANT";

midsole: black PU foam;

<u>upper</u>: blue grain leather VELOUR (art. VELOUR 1136) declared thickness 1,8 mm, matched with beige canvas with inserts in black coated PU fabric (art. PU RUGATO TYRUS) matched with grey foam and reflective insert in grey fabric LUXOR PENCIL; tongue/bellows: black coated PU fabric (art. PU RUGATO TYRUS) centrally lined and

padded;

vamp lining: anthracite grey felt (art. KOENIG/C EVO 300GR/M2);

rear/quarter lining: red three-dimensional fabric AIR MESH (art. SPACE BIRD'S 940);

insole: beige non-woven fabric (art. SAFETY 2023); penetration resistant insert: steel INOX (art. 1604);

removable insock: thermo-shaped, made of dark grey foam PU, matched with black fabric in direct contact with the foot, marked FIGHTER;

toecap: steel INOX (art. 604).

Technical Standard: EN ISO 20344:2011 Personal protective equipment – Test methods for footwear

> (UNI EN ISO 20344:2012) EN ISO 20345:2011 (UNI EN ISO 20345:2012)

Personal protective equipment – Safety footwear

Intended use: general industry, engineering industry, agriculture, warehouses, works on trucks, cranes.

Size range: from 36 to 48

Technical File: DC-9521/E

RCT n°3727060/E Test report:



PRD Nº 0230 B

Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC Mutual Recognition Agreements





EU Type Examination Certificate

n. **734183903/OE**

Validity: 2023/09/27

Functions and performance levels:

Date: 2018/09/28

basic requirements for safety footwear (see Table 2 and 3 of EN ISO 20345:2011): all mandatory ones, among which:

SRC (*) = Slip resistance – meets the following requirement:

- surface: ceramic / <u>lubricant</u>: detergent solution;
- <u>surface</u>: steel / <u>lubricant</u>: <u>glycerol</u>.

Additional requirements (Tab. 18 and 20 of EN ISO 20345:2011):

S1 = closed seat region, antistatic properties, energy absorption of seat region, resistance to fuel oil; **P** = penetration resistance.

(*) the final level of the anti-slip features is achieved after the first hours of trial stage.

Marking:

on a stitched label and displaying the following information:

- CE Marking;
- Name of the Manufacturer;
- designation of the footwear (alphanumeric code + commercial name);
- number and year of the Standard of reference + safety symbols;
- size of the footwear (printed on the outsole);
- month and year of production.

SRL UROPAM

(€
___/2018
IN 0111 IPOLIT
S1P SRC EN ISO
20345:2011





NOTE: the Technical File contains a more detailed description of the PPE (material, method of assembly, photographs or drawings), performance data, safety functions and level of protection, elements of conformity to the basic and supplementary requirements.

The Technical File is integral part of the present Certification, which has to be kept available by the applicant to be forwarded - upon request - to

the entitled person (supervising body, Controlling Officer).