

Test report:

Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC Mutual Recognition Agreements





## CE TYPE APPROVAL CERTIFICATE

n. 734180202/OE

2018/01/11

This is to certify, that the hereunder described items of Personal Protective Equipment have overcome positively the "CE type examination", proving their conformity to the safety and health requirements of the Directive 89/686/EEC.

Manufacturer: (Responsible of the PPE)	SRL UROPAM SAT OBILENI – RL.HINCESTI – REP.MOLDOVA – MD3440
Type of PPE:	Safety footwear in conformity with EN ISO 20345:2011 class I  (= footwear in leather and other materials, excluding all-rubber or all-polymeric footwear)
Category of PPE:	II: Personal Protective Equipment against "medium" risks.  This certificate is based on reference standards listed below: its validity is no longer ensured should new version of the standards come into force.
Model	"IN0005 LISTON" Line INFINITY
Description:	model: A (low shoes); fastening system: by means of laces; processing: direct injection; outsole: black compact PU marked "ANTISTATIC OIL RESISTANT"; midsole: PU foam black colored; outer toetip reinforcement: made of the same material of the midsole; upper: black grain leather HIDRO grain MINA matched with beige canvas (art. CEROS), and black coated PU fabric (art. TYRUS) with reflective insert in the heel zone (art. LUXOR PENCIL); tongue/bellows: black coated PU fabric (art. TYRUS), centrally lined and padded; vamp lining: grey felt (art. COVER 2230); rear/quarter lining: red three-dimensional fabric AIR MESH (art. SPACE BIRD'S 940); insole: beige non woven fabric (art. SAFETY 2023); penetration resistant insert: made of steel INOX article 1604; removable insock: thermo-shaped, made of dark gray foamed PU matched with black fabric in direct contact with the foot, marked FIGHTER; toecap: made of steel INOX article 604.
Technical Standard:	EN ISO 20344:2011 (UNI EN ISO 20344:2012) EN ISO 20345:2011 (UNI EN ISO 20345:2012) Personal protective equipment – Test methods for footwear Personal protective equipment – Safety footwear
Intended use:	general industry, engineering industry, agriculture, warehouses, works on trucks, cranes.
Size range:	From 39 to 47.
Technical File:	DC-8683/E.

RCT n° 3702014/E.



## PPD Nº 0230 B

Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC Mutual Recognition Agreements





## CE TYPE APPROVAL CERTIFICATE

n. 734180202/OE

2018/01/11

Functions and performance levels:

**basic requirements for safety footwear** (see Table 2 and 3 of EN ISO 20345:2011): all mandatory ones, among which:

**SRC = Slip resistance** – meets the following requirement:

- surface: ceramic / lubricant: detergent solution;
- surface: steel / lubricant: glycerol.

Additional requirements (Tab. 18 and 20 of EN ISO 20345:2011):

**S3 =** closed seat region, antistatic properties, energy absorption of seat region, resistance to fuel oil, water penetration resistance and absorption (water-repellent upper), penetration resistance, cleated outsole.

Marking:

on a stitched label and displaying the following information:

- CE Marking;
- Name of the Manufacturer;
- designation of the footwear (alphanumeric code + commercial name);
- number and year of the European Technical Harmonized Standard of reference;
- safety symbols
- size of the footwear (printed on the outsole);
- date of production.

SRL UROPAM

( €

XX/2017

IN0005 LISTON

S3 SRC

EN ISO 20345:2011



NOTE: the Technical File contains a more detailed description of the PPE (material, method of assembly, photographs or drawings), performance data, safety functions and level of protection, elements of conformity to the basic and supplementary requirements.

The Technical File is integral part of the present Certification, which has to be kept available by the applicant to be forwarded - upon request - to

the entitled person (supervising body, Controlling Officer).